

2 How we made it



Global approach

Since entering the bike industry in 1988 Corima has always been at the forefront of carbon wheel design and manufacturing. In addition to our patents and unique design philosophy, we are constantly innovating, improving at every turn. We strive to stay one step ahead of the competition, delivering performance and reliability to you, our riders.

Our philosophy has always been rooted in creating the best performing wheels possible, with a global approach. Lightness, reliability, and essential performance are what we achieve through tuning stiffness, aerodynamics and optimizing rotational inertia.


Design and produced in France

When our engineers imagine the features of a new product, they also think about the industrialization process. Thanks to our experience and industrial origins, we design all the manufacturing tools and processes that will be used in the realization of your wheels. Whether unique machinery, molds, or the testing benches; we can leverage our knowledge towards continuous improvement and safety. This complete control of the design and production assures our riders can achieve their goals, and at a great value to feature ratio.





8 Category





Front wheel | Rim brake | 26"

Profile 47 mm Tire tubular Rim width 22.6 mm **Axle** ø9 x 130 mm Weight 750 g Carbon weave 3k **Spokes** 20 black spokes **Braking** rim brake **Hub** S Black Cassette body shimano hg, sram xdr, campagnolo classic



Front wheel | Rim brake | 26"

Profile 47 mm Tire Clincher Rim width 26 mm **Axle** Ø9 x 130 mm Weight 858 g Carbon weave 3k **Spokes** 20 black spokes **Braking** rim brake **Hub** S Black

Cassette body shimano hg, sram xdr, campagnolo classic



S BLACK DX 26"

Rim width 22.6 mm

Axle Ø12 x 142 mm (TA) | Ø9 x 130 mm (QR)

Weight 875 g Carbon weave 3k Spokes 20 black spokes Braking disc brake Hub S Black DX

Cassette body shimano hg, sram xdr, campagnolo classic



Front wheel | Disc brake | 26"

Profile 47 mm
Tire cleancher
Rim width 26 mm
Axle Ø12 x 142 mm (TA)
Weight 840 g
Carbon weave 3k
Spokes 20 black spokes
Braking disc brake
Hub S EVO

Cassette body shimano hg, sram xdr, campagnolo N3W



Front wheel | Rim brake | 26"

Profile Disc C+ Tire tubular Rim width 22.6 mm **Axle** ø9 x 130 mm Weight 960 g Carbon weave 3k Braking rim brake* Cassette body shimano hg, sram xdr, campagnolo classic

*Also available in disc brake



S RI ACK 20'

Lateral wheel

Handbike

Profile 40 mm
Tire tubular
Rim width 19.8 mm
Axle 1/2"and 25 mm
Weight 465 g
Carbon weave 3k
Spokes 16 black spokes



Lateral wheel

Profile 30 mm
Tire Clincher
Rim width 26 mm
Axle 1/2"and 25 mm
Weight 540 g
Carbon weave 3k
Spokes 16 black spokes



Lateral wheel

Handbike

Profile disc Tire tubular Rim width 22.6 mm **Axle** 1/2" and 25 mm Weight 600 g Carbon weave 3k



The racing pack is best suited to handcyclists competing on varied terrain over different distances. The S Black series is also lightweight making them the best choice for hillier courses. Racing pack is available in tubular and clincher, rim brake and disc brake.

WS BLACK 20"

+

WS BLACK / WS EVO 26"



The TT pack is the perfect choice for time triallists, where rigidity and aerodynamics are the key factors for success on the flats.

DISC 20"

+

S BLACK 26"



Front wheel

Profile 40 mm Tire Tubular Rim width 19.8 mm **Axle** Bolt And Screws Weight 415 g Carbon Weave 3k **Spokes** 10 black spokes **Braking** Rim Brake

The front wheel's hub is for a 50 mm fork's width

Athletic wheelchair



Rear wheel

Profile disc Tire tubular Rim width 22.6 mm **Axle** 1/2" Weight 1095 g Carbon weave 3k **Drilling diameter** 4x328mm (13") | 5x368mm (14,5") Sold without pushrim

Athletic wheelchair



Rear wheel

Profile disc Tire tubular Rim width 22.6 mm **Axle** 1/2" Weight 850 g Carbon weave 3k **Drilling diameter** 4x328mm (13") | 5x368mm (14,5") Sold without pushrim



DISC C+

+

S BLACK 20"



The athletic lightweight pack can be used by all the athletes. The 4-spoke wheels, thanks to their lightness, rigidity and low rotational inertia, are excellent driving wheels to equip athletic wheelchair. Easier to put in action than C+ disc they will be very adapted to the lightest athletes.

4 SPOKES

S BLACK 20"





4 SPOKES TENNIS

Lateral wheel

Profile 47 mm Tire tubular Rim width 22,6 mm Weight 1140 g
Carbon weave 3k **Size** 28" With carbon pushrim (non-removable from the wheel)





Daily Wheelchair

For 30 years we have been developing high performance wheels for some of the world's best parasport athletes. We have applied this experience to our latest wheelset, designed to improve the daily mobility of wheelchair users.

Applying aeronautical principles to everyday mobility wheels, our 4 spoke wheel's wing-like shape will add efficiency to daily movement and commuting.



Unique carbon appearance

Get a classy, elegant look with the unique, full carbon, 4-spoke wheel with Corima logos protected underneath the clear coat.

Improved handling We have designed an integrated

We have designed an integrated pushrim in carbon with enhanced ergonomics.

The lightest wheel

With a weight of only 920g/wheel, including our integrated push rim, your daily mobility will become much easier with their incredible responsiveness.

We applied all the CORIMA know-how in term of wheels design to offer the highest level of innovation on the market. Developped, designed and produced in CORIMA factory.

Lateral wheel

Wheel 4 spokes monobloc **Size** 24"

Internal width 20C

Tyres type Clincher

Pushrim Fully integrated ergonomic carbon pushrim

Axle diameter Stainless steel bearings 1/2"

Daily wheelchair

Axle length 53.8mm

Weight 920gr / wheel (including pushrim)

*Axle not provided

Axle head setup: Axle head length = 20.2mm - Axle head diameter = 29.6mm





Lateral wheel

Wheel 4 spokes monobloc **Size** 24"

Internal width 20C Tyres type Clincher

Pushrim Not provided - compatible with 6tab-mount standard

Axle diameter Stainless steel bearings 1/2"

Daily wheelchair

Axle length 53.8mm

Weight 770gr / wheel (without pushrim)

*Axle not provided

Axle head setup: Axle head length = 20.2mm - Axle head diameter = 29.6mm









corima@corima.com

890 Chemin de Chabanne Sortie Autoroute A7 26270 LORIOL-SUR-DROME | FRANCE